

IO 8BAIVS 8 Isolated Voltage Inputs Modbus Modules Features

These modules are used with HMI, PLC or SCADA via Modbus RTU

protocol. IO Studio is its PC software for setting communication. Data

Acquisition Studio is its PC software for DAQ purpose.

- Portable
- Modbus connectivity
- Simple setup and easy handling
- Up to 128 Module on RS485 network
- Isolated modules available for special applications
- Low-cost IO modules addition to existing PLC system
- Standard software for module configuration and trouble shooting
- Data acquisition software for data storage and Real-time analysis on PC
- IO modules used with the third party softwares via Modbus RTU Protocol
- Interface with field devices to provide real-time data for SCADA / PLC / HMI
- LEDs on every modules for digital IO status, communication and power supply
- Different types of IO Modules AI, AO, DI, DO, RTD, Thermocouples are available
- Direct reading of temperature without scaling by using RTD and Thermocouple Modules

IO 8BAIVS 8 Isolated Voltage Inputs Modbus Modules Specification

Analog Inputs	8
Type	Differential
Voltage	0(2) - 10 V / 0(1) - 5V
Current	N.A
Offset by switch	2 V DC (0-10)/ 1 V DC(0-5)
Resolution	12 bit (0-4095)
Sample rate	12.5 samples/sec
I/P Impedance	110 Kohms
Isolation(Ch-Ch)	350 V (P-P)
Drift	100 ppm/deg.C
Accuracy	0.2 % of span
Isolation (Field&Logic)	1500 V RMS
Power supply	" +12 V to +24 V"