

743

High-Performance 4-Slot Wallmount Chassis for Micor-ATX MB, w/ Slim ODD bay

Applications

- KIOSK
- Automation Controller
- Industrial Computers



Dimensions(W×D×H)

262 × 292 × 155 mm

10.3 × 11.5 × 6.1 inch

FEATURES



- Mini-ITX / Micro-ATX MB installable
- Four expansion slots
- Dual front USB ports
- 1 x 80mm front fan for better ventilation
- 2 x 2.5" HDD drive bay (Anti-shock design)
- Slim ODD bay
- Can be wall-mounted or front-mounted (option)
- Can be vertically or horizontally mounted
- Flex ATX or 1U power supply

■Specifications

Linkkytech Co. Ltd.

Construction	Heavy-duty steel
Standard Color	Black, Silver (option)
Cooling Fan	Front : 1 x 80 mm FAN
Air Filter	Yes
Power Supply	Flex ATX or 1U power supply
System Board	Micro-ATX MB Mini-ITX MB
Connector	2 × USB Ports in the Front side 2 x USB Ports inside (option)
Controls	Power on/off × 1

Indicator	Power & HDD LEDs
Drive Bay	External : Slim ODD bay Internal : 2 x 2.5" HDD bay
Dimension(W×D×H)	262 × 292 × 155 mm 10.3 × 11.5 × 6.1 inch
Temperature	0 °C (32 °F) ~ 50 °C (122 °F)
Humidity	5% ~ 95% non-condensing
Weight(net/gross)	3.9 kg (8.6 lb) / 4.9 kg (10.8 lb)
Carton Size	360 x 410 x 255 mm 14.2 x 16.1 x 10 inch

■Ordering Information

743P(V)-000	7-slot wallmount chassis, Slim ODD bay, w/o power
743P(V)-250	7-slot wallmount chassis, Slim ODD bay, w/ Flex ATX250W power
743P(V)-3501U	7-slot wallmount chassis, Slim ODD bay, w/ 1U 350W power
>> P: Black color ; V: Silver color	

■Optional Items


DS-8A2S	SATA adapter for Slim ODD
SADP56 FM-	Front-mounting bracket
773 COV-S-773	Cover bracket for Slim ODD

Remark:





1. ODM/OEM is available
2. Specifications are subject to change without prior notice

■Dimension

Horizontal Mounting



Vertical Mounting



Front Mounting (option)

